

12. Adjustment










• It is recommended to adjust the columns to the desired height before installing the display. • If you want to adjust the columns height after finishing the display installation. Please remove the DVD shelf, then adjust the columns to the desired height.

- Check that the bracket is secure and safe to use at regular intervals(at least every three months).
 Please contact your distributor if you have any questions.

TV Floor Cart and Accessories



CAUTION: DO NOT EXCEED RATED LISTED WEIGHT. SERIOUS INJURY OR PROPERTY DAMAGE MAY OCCUR!



INSTALLATION MANUAL











⚠ WARNING

- Do not begin the installation until you have read and understood all the instructions and warnings contained in this installation sheet. If you have any questions regarding any of the instructions or warnings, please contact your local distributor.
- This mounting bracket was designed to be installed and utilised ONLY as specified in this manual. Improper installation of this product may cause damage or serious injury.
- This product should only be installed by someone with good mechanical ability who has basic building experience and fully understands this manual.
- Make sure that the supporting surface will safely support the combined weight of the equipment and all attached hardware and components.
- Always use an assistant or mechanical lifting equipment to safely lift and position the equipment.
- Tighten screws firmly, but do not over tighten. Over tightening can cause damage to the items, This greatly reduces their holding power.
- This product is intended for indoor use only. Using this product outdoors could lead to product failure and personal injury.

Required for Installation






Component Checklist

IMPORTANT: Ensure that you have received all parts according to the component checklist prior to installation. If any parts are missing or faulty, telephone your local distributor for a replacement.















connecting plate


fastener




Package M



1. Assembling the Base




Insert the right base into the middle base. Align the holes in the right base to the holes in the middle base. Secure with the connecting plate and the screws. Repeat this step for the left base.




NOTE: Lock the brakes on the casters to avoid any sudden movements during installation.


Each caster can be adjusted independently for fine tuning adjustments. Slightly turn the nut to lower or raise the base.

2. Attaching the Columns to the Base






3. Attaching the Universal Plate to the Column




Attach the universal plate to the column using the appropriate screws.


3

4. Installing the Adapter Brackets




4-1 For Flat Back Screens






4-2. For Bump-out or Recessed Back Screens




Note: Choose the appropriate screws, washers and spacers (if necessary) according to the type of screen.
Position the adapter brackets as close as possible to the center of the display.
Screw the adapter brackets onto the display.

Tighten all screws but do not over tighten.


5. Hanging the Display onto the Universal Plate




6.For Landscape or Portrait View



7. Angle Adjustment




8. Installing the Camera Shelf




Attach the connecting plate to the universal plate with the appropriate screws and washers. Tighten all screws using an Allen key.


9. Installing the DVD Shelf



10. Installing the Cable Covers



11. Cable Management



- Maintenance
 Check that the bracket is secure and safe to use at regular intervals(at least every three months).
 Please contact your distributor if you have any questions.